L Number	Hits	Search Text	DB	Time stamp
1	3705	coordinate adj input adj device	USPAT;	2004/06/26
1	3703	coordinate adj input adj device	US-PGPUB; EPO; JPO; DERWENT;	11:15
2	1081	coordinate adj input adj device and generat\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26
3	3494354	coordinate adj input adj device and generat\$6 and coordinat\$6 band value	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 11:16
4	205	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26
5	83	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and pointing	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26
6	1	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and pointing adj tool	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 11:17
7	49	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 11:17
8	39	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool and sens\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26
9	0	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool and sens\$6 adj means	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26
10	4	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool and sens\$6 and means	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26
11	3	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool and sens\$6 and means and receive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 11:18
12	3	coordinate adj input adj device and generat\$6 and coordinat\$6 and value and light and point\$6 and tool and sens\$6 and means and receive\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26
13	3	coordinate adj input adj device and generat\$6 and coordinat\$6 and axis and value and light and point\$6 and tool and sens\$6 and means and receive\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 11:25



				1 2 2 2 4 2 4 2 4 2 2
14	3	coordinate adj input adj device and	USPAT;	2004/06/26
		generat \$6 and coordinat \$6 and axis and	US-PGPUB;	11:25
		value and light and point\$6 and tool and	EPO; JPO;	
		sens\$6 and means and receive\$6 and output	DERWENT; IBM TDB	
15	0	coordinate adj input adj device and	USPAT;	2004/06/26
13	1	generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:25
		value and light and point\$6 and tool and	EPO; JPO;	11.23
		sens\$6 and means and receive\$6 and output	DERWENT;	
		and coordnate adj value	IBM TDB	
16	0	<del>-</del>	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:26
		value and light and point\$6 and tool and	EPO; JPO;	
		sens\$6 and means and receive\$6 and output	DERWENT;	İ
		and coordinate adj value	IBM TDB	
17	7		USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:26
		value and light and point\$6 and tool and	EPO; JPO;	
		sens\$6 and receive\$6 and output and	DERWENT;	
		coordinate adj value	IBM TDB	
18	7	coordinate adj input adj device and	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:36
		value and light and point\$6 and tool and	EPO; JPO;	
		sens\$6 and receive\$6 and output and	DERWENT;	
		coordinate adj value\$1	IBM_TDB	
19	3	coordinate adj input adj device and	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:28
		value and light and point\$6 and tool and	EPO; JPO;	
		sens\$6 and overlap\$6 and receive\$6 and	DERWENT;	
		output and coordinate adj value\$1	IBM_TDB	
20	13	coordinate adj input adj device and	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:44
		values and light and point\$6 and sensors	EPO; JPO;	
		and compare\$6 and receive\$6 and output	DERWENT;	
21	12	and coordinate adj value\$1	IBM_TDB	2004/06/26
21	12	coordinate adj input adj device and generat\$6 and coordinat\$6 and axis and	USPAT; US-PGPUB;	11:45
		values and light and point\$6 and sensors	EPO; JPO;	11.45
		and detect\$6 and compare\$6 and	DERWENT;	1
		(receive\$6 and coordinate adj	IBM TDB	
		value\$1) and output and coordinate adj		
		value\$1		
22	12	coordinate adj input adj device and	USPAT;	2004/06/26
	( )	generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:47
		values and light and point\$6 and sensors	EPO; JPO;	
•	]	and detect\$6 and compare\$6 and	DERWENT;	
	1	(receive\$6 and coordinate adj value\$1)	IBM_TDB	
		and output and coordinate adj value\$1	_	
23	2	coordinate adj input adj device and	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:49
		values and light and point\$6 and photo	EPO; JPO;	
	1	adj sensors and detect\$6 and compare\$6	DERWENT;	
		and (receive\$6 and coordinate adj	IBM_TDB	
		value\$1) and output and coordinate adj		
24		value\$1		2004/06/26
44	0	coordinate adj input adj device and	USPAT;	2004/06/26
	]	generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:50
		values and light adj point\$6 and photo	EPO; JPO;	
		adj sensors and detect\$6 and compare\$6 and (receive\$6 and coordinate adj	DERWENT;	
		value\$1) and output and coordinate adj	IBM_TDB	
		value\$1 and output and coordinate adj		
25	ا ه	value;    coordinate adj input adj device and	USPAT;	2004/06/26
		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:50
		values and light adj beams and photo adj	EPO; JPO;	11.50
		sensors and detect\$6 and compare\$6 and	DERWENT;	
		(receive\$6 and coordinate adj value\$1)	IBM TDB	
		and output and coordinate adj value\$1		
				1

4	h
7	

26	2	coordinate adj input adj device and	USPAT;	2004/06/26
-		generat\$6 and coordinat\$6 and axis and	US-PGPUB;	11:53
		values and infrared and photo adj sensors	EPO; JPO;	
		and detect\$6 and compare\$6 and	DERWENT;	
		(receive\$6 and coordinate adj value\$1)	IBM TDB	
		and output and coordinate adj value\$1	_	
27	2	coordinate adj input and input adj device	USPAT;	2004/06/26
		and generat\$6 and coordinat\$6 and axis	US-PGPUB;	11:53
		and values and infrared and photo adj	EPO; JPO;	
		sensors and detect\$6 and compare\$6 and	DERWENT;	
		(receive\$6 and coordinate adj value\$1)	IBM TDB	
		and output and coordinate adj value\$1		
28	2	coordinate adj input and input adj device	USPAT;	2004/06/26
	_	and coordinat\$6 and axis and values and	US-PGPUB;	11:54
		infrared and photo adj sensors and	EPO; JPO;	
		detect\$6 and compare\$6 and (receive\$6*	DERWENT;	
		and coordinate adj value\$1) and output	IBM TDB	
		and coordinate adj value\$1		
29	2	coordinate adj input and input adj device	USPAT;	2004/06/26
		and infrared and photo adj sensors and	US-PGPUB;	11:55
		detect\$6 and compare\$6 and (receive\$6	EPO; JPO;	
		and coordinate adj value\$1) and output	DERWENT;	
		and coordinate adj value\$1	IBM TDB	
30	2	input adj device and coordinate adj	USPAT;	2004/06/26
		input, and infrared and photo adj sensors	US-PGPUB;	11:55
		and detect\$6 and compare\$6 and	EPO; JPO;	
		(receive\$6 and coordinate adj value\$1)	DERWENT;	
		and output and coordinate adj value\$1	IBM TDB	
31	3	input adj device and infrared and photo	USPAT;	2004/06/26
		adj sensors and detect\$6 and compare\$6	US-PGPUB;	11:55
		and (receive\$6 and coordinate adj	EPO; JPO;	
_		value\$1) and output and coordinate adj	DERWENT;	
		value\$1	IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
•	10	((COORDINATE ADJ INPUT) OR STYLUS OR POINTING ADJ	USPAT;	2004/06/26 11:07
		TOOL ) AND OVERLAP\$6 AND (PEAK ADJ LEVEL\$1) AND	US-PGPUB;	
	ļ	((((COORDINATE ADJ INPUT ) OR STYLUS OR POINTING ADJ	EPO; JPO;	
		TOOL) AND MEASUR\$6 AND COMPAR\$6 AND SELECT\$6 AND	DERWENT	
		OVERLAP\$6) AND (PEAK ADJ LEVEL\$1))		
-	131733	INPUT ADJ DEVICE	USPAT;	2004/06/26 11:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
•	33378	LIGHT AND (INPUT ADJ DEVICE)	USPAT;	2004/06/26 11:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	23506	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6	USPAT;	2004/06/26 11:08
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
.	4582	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 AND TOOL	USPAT;	2004/06/26 11:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	72	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL	USPAT;	2004/06/26 11:09
		(**************************************	US-PGPUB;	200 1/00/20 11:09
			EPO; JPO;	
			DERWENT	
	63	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL AND	USPAT;	2004/06/26 11:10
		SENS\$6	US-PGPUB;	200 1/00/20 11:10
			EPO; JPO;	
			DERWENT	
,	55	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL AND	USPAT:	2004/06/26 11:10
		SENS\$6 AND RECEIV\$6	US-PGPUB;	200 1/00/20 11:10
			EPO; JPO;	
			DERWENT	
	39	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL AND	USPAT;	2004/06/26 11:10
		SENS\$6 AND RECEIV\$6 AND AREA\$1	US-PGPUB;	200 1100/20 11:10
			EPO; JPO;	
			DERWENT	
	17	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL AND	USPAT;	2004/06/26 11:11
- 1		SENS\$6 AND RECEIV\$6 AND AREA\$1 AND OVERLAP\$6	US-PGPUB;	2004/00/20 11.11
			EPO; JPO;	
			DERWENT	
	17	LIGHT AND (INPUT ADJ DEVICE) AND POINT\$6 ADJ TOOL AND	USPAT;	2004/06/26 11:11
İ	• •	SENS\$6 AND RECEIV\$6 AND AREA\$1 AND OVERLAP\$6 AND	US-PGPUB;	2004/00/20 11:11
Ì		PORTION	EPO; JPO;	
			DERWENT	
			DEKARNI	